

Planned Unit Development (RPUD). The Final Plat is consistent with the RPUD Development Agreement

2. The owner/developer shall contact Public Works Project Administrator, Ms. Bobbie Degon, at (386) 878-8976 to schedule a Pre-Construction Meeting after the Development Order is issued.
3. Before the clearing of the site commences, the owner/developer shall contact the NPDES Inspector at (386) 878-8979 to arrange for a site inspection to verify the proper installation of silt fences and other best management protection devices. A minimum 48-hour advance notice is required prior to a scheduled clearing.
4. The owner/developer or contractor shall contact Public Works Engineering Inspectors office at (386) 878-8945 or (386) 878-8996 to schedule all engineering and stormwater inspections. A minimum of 48 hours advance notice is required for all field inspections.
5. The owner/developer shall contact the Utility Provider DelNorth, to schedule the coordination of utility construction activities, such as wet taps, backflow prevention equipment inspections, pressure testing, lift station start-ups, and Water fees. A minimum 24-hour advance notice is required for all field activities or inspections.
6. A Site Engineering Permit/Inspection Placard shall be issued by Public Works consistent with the implementation of the applicable conditions of this Development Order. This permit, when issued, shall be posted at the construction site in a prominent place for public viewing. A minimum of 48 hours advance notice is required for all inspections. Please see the Site Engineering Permit/Inspection Placard for contact information.
7. The owner/developer shall contact the Deltona Fire Department, Fire Safety Division at (386) 878-8655 to schedule the coordination of fire safety required site and construction inspections; as well as questions concerning fire safety fees. A minimum of 48 hours advance notice is required for all field activities or inspections.

8. Fire Department access roads provided in accordance with 18.2.3 shall be provided at the start of a project and shall be maintained throughout construction (NFPA 1, Fire Code, 2021 Edition, Section 16.1.4).
9. The holder of all required state and federal permits shall have acquired such permits before the commencement of any site development or clearing and provide a copy to the City of Deltona for review.
10. Fire department access roads shall maintain a clear width of 24 feet and a vertical clearance of 17 feet. The locations of any plantings shall consider the full growth of trees and landscaping, and shall not obstruct fire apparatus access, or access to, visibility of, or function of any fire protection equipment.
11. Before site clearing work can commence, the owner/developer must post the approved original signature permits from all local, state, and federal agencies on-site at all times, and arrange for a pre-clearing inspection to verify that the tree barrier protection, landscape buffers, historic/specimen trees, if any, and all trees to remain, are properly protected. The owner/developer must have all legally required local, state, and federal permits for construction and or land-clearing activities prior to the live capture, relocation, and release of any species listed as endangered, threatened, or of special concern by the State of Florida Fish and Wildlife Conservation Commission. The owner/developer will contact the Public Works Department's Project Manager/Environmental at (386) 878-8965 a minimum of 48 hours before the owner/developer environmental consultant/contractor commences work on-site.
12. In accordance with Florida Statute 556.105, before any site clearing or digging commences, the owner/developer shall provide a copy of the call ticket and number to Public Works Environmental staff at a pre-clearing inspection. To schedule the utility locate, please contact Sunshine One at (800) 432-4770, or visit www.callsunshine.com. This condition must be prior to pre-clearing inspection (see #5 above). If the call ticket is not provided at time of pre-clearing, the inspection will not be approved and will be subject

to any civil penalties. For more information or additional assistance, please contact the Public Works Division at (386) 878-8950.

13. Although irrigation plans are submitted to the City as part of the site plan review process, approval and permitting for irrigation is obtained from the Volusia County Office of the Florida State Health Department. Please contact Mr. Andy Natal at (386) 736-5444 for additional information.
14. Consistent with Ordinance No. 06-2019 the City has granted a waste hauler exclusive rights to haul waste and refuse (residential and non-residential uses) within the city limits of Deltona. Therefore, all waste management, including but not limited to, debris and other refuse generated during the land clearing and construction phase(s) shall be hauled by the sole hauler granted exclusive rights by the City. In addition, after a Final Plat is accepted and individual C.O.s are issued for dwellings, the hauler will continue to be the sole provider for solid waste hauling for the project. The City currently has a relationship with the solid waste hauler Waste Pro. To coordinate waste management with Waste Pro, contact Waste Pro at (386) 788-8890. This condition will apply to any future exclusive solid waste hauling terms negotiated by the City.
15. After roads or other infrastructure are built and accepted by the City, no right-of-way or other dedicated areas can be used to store or place any solid waste or solid waste container.
16. Applicant shall have a NO PARKING; NO OVERNIGHT PARKING signage or similar along any joint/shared roadway access. Therefore, the developer needs to address with signage on their portion of the roadway.
17. The applicant shall apply for a Business Tax Receipt (BTR) before or after a Certificate of Occupancy is issued. BTR's can be applied for at City Hall in person. Please contact Mr. Milton Robles at (386) 878-8559 for additional information.
18. This Development Order shall be subject to acceptance of a Final Plat by the City Commission.

H. CERTIFICATE OF CONCURRENCY:

Concurrency requirements, pursuant to the City's Comprehensive Plan and Land Development Code, have been reviewed and are determined to be sufficient.

The Certificate of Concurrency is achieved by issuance of this Development Order and shall remain valid for the duration of this Development Order.

However, concurrency is not vested and, should the project fail to meet concurrency requirements at the time a building permit application is made, the permit may not be issued.

I. LIMITATIONS:

1. This Development Order authorizes development within the City of Deltona, as specified herein. Any deviation from or modifications of the development authorized by this Development Order must be submitted to the Department of Planning and Development Services for appropriate review and, if warranted, approval.
2. This Development Order does not confer vested rights to development after the expiration date, specified herein. This Development Order authorizes the issuance of permits and is not a substitute for any required permit. This Development Order does not eliminate or substitute obligations to comply with all applicable City codes or ordinances, or for compliance with any other required federal, state, regional, or local permits.
3. As part of the inspection and acceptance of project infrastructure, the Fire Safety Division shall determine if the accessibility for a fire apparatus is met, as per a Final Site Plan, and any corrective measures necessary shall be completed prior to the issuance of a Certificate of Occupancy.
4. Where underground water mains and hydrants are to be provided, they shall be installed, completed, and in service prior to commencing construction work on any structure. (NFPA 1, Fire Code, 2021 Edition, Section 16.5.3.1.3)
5. A water supply for fire protection, either temporary or permanent, shall be made available as soon as combustible material accumulates. There shall be no delay in the installation of fire protection equipment. (NFPA 1, Fire Code, 2021

Edition, Sections 16.5.3.1.1 and 16.5.3.1.2). No vertical construction or storage of combustible material on-site shall be permitted, until fire hydrants are installed, inspected, flow tested and approved by the Fire Safety Division. Fire flows shall be conducted during peak demand hours, as determined by the Fire Department.

6. Buildings undergoing construction, alteration, or demolition operations, shall comply with NFPA 1, Fire Code, as amended, Sections 16.4 and 16.5.
7. In all new and existing buildings, minimum radio signal strength for emergency services department communications shall be maintained at a level determined by the AHJ and based on existing coverage levels of the public safety communication systems utilized by the jurisdiction measured at the exterior of the building (NFPA 1, Fire Code, 2021 Edition, Section 11.10.2). Where required by the AHJ, in-building emergency responder communication enhancement systems shall comply with the design, installation, testing, inspection, and maintenance requirements in Section 9.6 of NFPA 1221, and 11.10.3.1 through 11.10.11 of NFPA 1 (NFPA 1, 2021 Ed., Section 11.10.3) If a communications enhancement system is required, a permit application, along with plans and specifications, shall be submitted for review and approval prior to installation, and the system installed prior to occupancy of the building.
8. Fire Department access roads provided in accordance with 18.2.3 shall be provided at the start of a project and shall be maintained throughout construction.
9. No vertical construction or storage of combustible material on-site shall be permitted, until fire hydrants are installed, inspected, flow tested and approved by the Fire Safety Division. Fire flows shall be conducted during peak demand hours, as determined by the Fire Department.
10. In buildings under construction, adequate escape facilities shall be maintained at all times for the use of construction workers. Escape facilities shall consist of doors, walkways, stairs, ramps, fire escapes, ladders, or other approved means or devices arranged in accordance with the general principles of Chapter 14,

and NFPA 101, Life Safety Code, insofar as they can reasonably be applied to buildings under construction.

11. Open burning of land clearing debris (uprooted or cleared vegetation) for purposes of preparation for development or construction of buildings and rights-of-way or land development is prohibited. Alternative means for disposal/removal shall be agreed upon with the city of Deltona Fire Official.
12. The Volusia County Water Department is to be notified to witness tapping of water lines for hydrants and the inspection of hydrant connections and piping. All hydrants and installations shall meet Volusia County specifications.
13. Requirements for Projects with NPDES Permits: It will be the responsibility of the contractor(s) to ensure that all required permits are obtained and are in hand at the job site prior to commencement of construction. The contractor shall abide by all conditions contained therein. Permits included (but not necessarily limited to) are:
 - FDEP and St. Johns River Water Management District permits
 - Local right-of-way use permits
 - NPDES General Stormwater Permit
 - USF&W and FWC environmental permits

Copies of the Notice of Intent (NOI) acknowledgement letter from FDEP with permit number and a copy of the Stormwater Pollution Prevention Plan (SWPPP) must be sent to the following address prior to commencing construction:

NPDES Inspector
201 Howland Blvd.
Deltona, Florida 32738

14. A copy of the NOI or letter from the FDEP confirming coverage under the State of Florida Construction Generic Permit shall be posted at the construction site

in a prominent place for public viewing, in compliance with Part III (C)(2) of the State of Florida Construction Generic Permit.

15. Perimeter soil and erosion controls and controls for sensitive areas that conform to Best Management Practices (BMPs) must be installed prior to land clearing/disturbing activities. The contractor is to continually maintain, at his/her expense, any and all erosion prevention systems, material management, and waste management needed to insure that project construction will limit the exposure of these materials to stormwater and that construction will not cause any water quality degradation or violations to on-site or off-site properties, water bodies, ponds, lakes, or wetlands. No direct discharge of unfiltered water to downstream receiving waters will be allowed and discharge water shall be routed in such a manner as to adequately remove silt prior to runoff from site. The proposed BMP controls shall conform to federal, state, and local requirements or manual of practice, as applicable. The contractor shall implement additional controls as directed by permitting agency or owner. Wash-out areas shall be clearly delineated with silt fence, utilized, inspected daily, and maintained.
16. The contractor shall be responsible for performing weekly inspections of the SWPPP erosion controls and completing the Inspection Forms. Copies of these reports shall be maintained at the project site and made available to the City NPDES Inspector, upon request.
17. The limits of disturbance have been provided to the contractor on the construction plan. Unless otherwise directed by the owner or engineer, the contractor is expected to contain all construction activities within these limits. At no time shall the contractor disturb surrounding properties or travel on surrounding properties without written consent from the property owner. Any repair or reconstruction of damaged areas in surrounding properties shall be repaired by the contractor on an immediate basis. All repairs shall be the responsibility of the contractor and no extra compensation shall be provided.
 - A. All Florida Department of Environmental Protection application forms submitted to the City or Deltona Water must bear original signatures and

seal of the engineer of record (EOR). Two (2) sets of signed and sealed construction plans are required for City records.

- B. Two (2) sets of as-built plans signed and sealed by the EOR, and a certification of construction letter from the EOR certifying that construction has been completed in substantial accordance with the approved plans and specifications must be submitted to the City/Deltona Water prior to final project inspections being performed of the completed project. Any deviations or modifications from the approved plans and specifications must be noted by the EOR in the certification letter and indicated on the as-built plans as applicable.
- C. The Site Engineering Permit/Inspection Placard shall be posted with the Building Permit and inspections performed by the applicable City Departments, as noted on the permit. It is the responsibility of the owner/developer and/or contractor to ensure that inspections are requested and performed as appropriate for the project.
- D. A copy of the St. Johns River Water Management District Environmental Review Permit (District), or letter from the District exempting site from permitting requirements, shall be provided to Public Works/Engineering prior to construction of any stormwater system improvements. Upon completion of construction, the EOR shall also submit a copy of the executed District certification of construction form.

Director, or Designee
Planning and Development Services

Date Approved

STATE OF FLORIDA
COUNTY OF VOLUSIA

The foregoing instrument was acknowledged before me this ____ day of _____, 2024 by _____ Director, or Designee, Planning & Development Services, who is personally known to me and who did not take an oath.

Notary Public Signature

(Notary Stamp)